



附表一：船用醫藥櫃應備置藥品一覽表

(1/3)

項目編號	項目名稱	單位	數量			備註
			A	B	C	
1.	Acetylsalicylic acid, 300 mg tablets, 100s	bottle	6	3	2	Also known as aspirin
2.	Alcohol, rubbing (70% ethyl alcohol), 500 ml	bottle	6	2	1	
3.	Aluminum acetate- ear drops, 13% solution in 20-ml bottle with dropper	bottle	6	2	2	
4.	Aluminum acetate powder, 2-g packets, for making equivalent aluminum acetate solution (Burrow's), 12s	box	2	-	-	For external use only
5.	Aluminum hydroxide gel, with magnesium hydroxide or magnesium trisilicate, oral suspension, 360 ml	bottle	6	-	-	
6.	Aluminum hydroxide, with magnesium hydroxide or magnesium trisilicate, 1-g tablets, 100s	bottle	10	3	3	
7.	Aminophylline suppository, rectal, 500 mg, 12s	box	2	1	-	Refrigerate
8.	Amitriptyline tablets, 25 mg, 100s	bottle	1	1	-	
9.	Ampicillin capsules, 250 mg, 100s	bottle	3	1	-	
10.	Antihemorrhoidal suppositories, 12s	box	6	1	-	Refrigeration preferable
11.	Ascorbic acid tablets (vitamin C), 50 mg, 100s	bottle	3	1	-	
12.	Atroine sulfate injection, 0.5 mg/ml, 1-ml ampoules, 10s	box	6	1	-	
13.	Benzathine benzylpenicillin, injection, 2.4 million units per 5-ml vial	item	20	-	-	
14.	Benzoic and salicylic acid ointment, 30-g tube	item	2	1	-	
15.	Calamine lotion, plain, 120 ml	bottle	8	1	1	
16.	Calcium gluconate, effervescent tablets, 1 g, 30s	box	1	-	-	
17.	Cetrimide 40% solution, 500 ml (disinfectant)	bottle	3	1	1	This is a concentrated (stock) solution; when 1% cetrimide is mentioned in the guide, the stock solution should be diluted
18.	Charcoal, activated, powder, 120 g	bottle	1	1	1	
19.	Chloroquine phosphate tablets, 250 mg, 100s	bottle	1	1	1	For the suppression and treatment of malaria
20.	Chlorphenamine maleate tablets, 4 mg, 20s	bottle	3	1	-	
21.	Chlorphenamine maleate injection, 10 mg, 1-ml ampoules, 10s	box	2	1	-	
22.	Chlorpromazine hydrochloride tablets, 25 mg, 20s	bottle	4	2	1	
23.	Chlorpromazine hydrochloride injection, 25 mg in 1-ml ampoules, 10s	box	2	1	-	
24.	Clove oil, 20ml	bottle	2	1	1	
25.	Codeine sulfate tablets, 30 mg, 100s	bottle	1	1	-	Controlled substance
26.	Cyclizine hydrochloride tablets, 50 mg, 100s	bottle	4	1	1	
27.	Daxtran injection, 6%, and sodium chloride, 0.9%, 500 ml, with administration set	bottle	6	-	-	
28.	Diazepam injection, 5 mg/ml, 2-ml ampoule	item	20	-	-	Controlled substance
29.	Diazepam tablets, 5 mg, 100s	bottle	2	1	-	Controlled substance

A行：適用於無醫師隨船之遠洋商船最低藥品數量備置之準據（藥品數量計算標準採船員二十五人至四十人，六個月航行之用）。

B行：適用於沿岸航行或鄰近沿岸港口，其航行不超過二十四小時之商船最低藥品數量備置之準據（藥品數量計算標準採船員約二十五人，六個月航行之用）。

C行：適用於非營運用船舶可攜人數不超過十五人，其航行不超過數天或數小時內可到達港口之航程最低藥品數量備置之準據。

項目 編號	項目名稱	單位	數量			備註
			A	B	C	
30.	Dimercaprol injection, 100 mg in 2-ml ampoules, 10s	box	6	2	1	Antidote in metal poisoning
31.	Doxycycline hydrochloride tablets, 100 mg, 100s	bottle	2	-	-	
32.	Ephedrine sulfate tablets, 25 mg, 100s	bottle	1	-	-	
33.	Epinephrine hydrochloride injection, 1:1000, 1-ml ampoules, 10s	box	2	1	1	
34.	Ergometrine maleate injection, 0.2 mg in 1-ml ampoules, 10s	box	1	-	-	
35.	Erythromycin (stearate or ethylsuccinate) tablets, 250 mg, 100s	bottle	3	1	-	
36.	Eye anaesthetic drops, 0.5% solution of tetracaine hydrochloride, in dropper bottles, 10ml	bottle	2	1	-	Should be marked: "For external use"
37.	Eye antiinfective drops, 1% solution of chloramphenicol in dropper bottles, 10 ml	bottle	3	2	1	
38.	Eye ointment, 1% tetracycline hydrochloride, 4-g tube	item	6	3	1	
39.	Eyewash or eye-irrigating solution, isotonic, sterile, in plastic squeeze bottle, 120 ml	bottle	6	1	1	
40.	Fluorescein sodium ophthalmic strip, sterile (1%, on paper applicators), 200s	package	1	-	-	
41.	Furcsernide tablets, 40 mg, 100s	bottle	1	-	-	
42.	Glyceryl trinitrate tablets, 0.5 mg, 20s	bottle	2	1	1	Keep bottle lightly closed; store at temperature of 0-25°C
43.	Hydrocortisone sodium succinate, 100-mg vial, for injection, intravenous, or intramuscular	vial	5	-	-	
44.	Hydrocortisone ointment 1%, 30-g tube with rectal tip	item	6	2	2	
45.	Ichthvol and glycerine ointment (ichthammol 10%, glycerine, soft paraitin, wool fat 90%), in 100-g container	item	3	2	1	More containers are needed on lishing vessels with a crew of over 30 people
46.	Insect repellent (diethyltoluamide solution), 50-ml	bottle	12	6	2	
47.	Iodine, 2.5% solution, in 100-ml bottles with glass stoppers	bottle	4	2	1	Bottles should be marked: "POISON, for external use only"
48.	Lidocaine hydrochloride injection 1%, 2-ml ampoule	item	12	-	-	
49.	Lindane cream, 1%, 60-g tube	item	12	2	-	For external use
50.	Magnesium hydroxide suspension, 550 mg/10 ml, 500 ml	bottle	8	2	2	
51.	Metronidazole tablets, 200 mg, 100s	bottle	5	2	-	
52.	Miconazole nitrate, 2%, vaginal cream, with applicator, in 80-g container	item	5	2	-	
53.	Miconazole nitrate, 100-mg, pessary and inserter	item	1	1	-	
54.	Mineral oil (liquid petrolatum), 500 ml	bottle	1	1	-	
55.	Morphine sulfate injection, 10 mg/ml, 1-ml ampoules, 10s	box	2	1	-	Controlled substance
56.	Naloxone hydrochloride injection, 0.4 mg/ml, 1-ml ampoule	item	6	-	-	

項目 編號	項目名稱	單位	數量			備註
			A	B	C	
57.	Neomycin + bacitracin ointment (5 mg neomycin + 500 IU bacitracin zinc per g), 30-g tube	item	20	10	5	Keep at temperature of 2-20°C
58.	Oral rehydration salts (sodium chloride 3.5 g, sodium bicarbonate 2.5 g (or trisodium citrate 2.9 g), potassium chloride 1.5 g glucose 20 g) in water-proof bags/ sachets	item	50	20	5	One bag/ sachet should be dissolved in 1 litre of boiled cooled water
59.	Oxygen, size E tank	item	2	1	-	The tank should always be full of oxygen
60.	Paracetamol, 500-mg tablet	item	300	150	100	
61.	Petrolatum, white, 60-g tube	item	6	2	2	
62.	Phenobarbital tablets, 30 mg, 100s	bottle	3	1	-	Controlled substance
63.	Phenoxymethylpenicillin potassium tablets 250 mg, 100s	bottle	3	1	-	
64.	Pilocarpine hydrochloride eye-drops, 2%, 15-ml dropper bottle	bottle	2	1	-	
65.	Potassium permanganate, 100g	bottle	2	1	-	For external use
66.	Probenecid tablets, 500 mg, 100s	bottle	2	1	-	
67.	Procaine benzylpenicillin, sterile suspension, injection, 600 000 units/ ml, 1-ml vials, 10s	box	2	1	-	Refrigerate
68.	Proguanil tablets, 100 mg, 100s	bottle	1	1	1	
69.	Pyrantel tablets, 250 mg, 50s	bottle	1	-	-	
70.	Quinine sulfate tablets, 300 mg, 100s	bottle	2	-	-	
71.	Quinine dihydrochloride, injection, 300 mg/ ml, 2-ml ampoule, 10s	box	2	-	-	
72.	Salbutamol aerosol inhaler unit	item	2	1	-	
73.	Sodium chloride injection, 0.9%, 1000 ml	bottle	6	2	-	Administration sets should be obtained from the manufacturer of the intravenous solution
74.	Sodium chloride tablets, 1 g, 1000s	bottle	2	1	1	
75.	Spectinomycin hydrochloride, injection, 2 g per 5-ml vial	item	20	-	-	
76.	Sulfamethoxazole + trimethoprim (400 mg + 80 mg) tablets, 20s	bottle	10	5	-	
77.	Talc (talcum powder), 120 g	can	6	3	3	
78.	Tetanus immune human globulin, 250 units, vial or ampoule	item	5	-	-	Refrigerate. do not freeze. Note: this drug should be carried only on ships that carry cattle, horses, or hides
79.	Tetanus toxoid adsorbed, single dose, ampoule	item	10	-	-	Refrigerate. do not freeze
80.	Tetracycline ear-drops, 1% tetracycline solution in dropper bottle, 10 ml	bottle	10	5	1	
81.	Tetracycline hydrochloride capsules, 250 mg, 100s	bottle	3	1	-	
82.	Water, sterile, 5-ml ampoules, 10s	box	3	2	-	
83.	Zinc oxide paste, 30-g tube	item	12	3	3	